EX PARTE OR LATE FILED

BELLSOUTH

Kathleen B. Levitz Vice President-Federal Regulatory Suite 900 1133-21st Street, N.W. Washington, D.C. 20036-3351 202 463-4113 Fax: 202 463-4198 Internet: levitz.kathleen@bsc.bls.com

April 9, 1999

RECEIVED

Ms. Magalie Roman Salas Secretary Federal Communications Commission The Portals 445 12th Street S.W. Washington, D.C. 20554

APR 0 9 1999

FEDERAL COMMENCATIONS COMMISSION
OFFICE OF THE SECRETARY

Re: Written Ex Parte in CC Docket No. 98-121

Dear Ms. Salas:

Attached is a copy of a written <u>ex parte</u> sent by facsimile on April 9, 1999 to Jake Jennings of the Common Carrier Bureau's Policy and Program Planning Division.

Pursuant to Section 1.1206(b)(1) of the Commission's rules, I am filing two copies of this notice and that written <u>ex parte</u> presentation in CC Docket 98-121 and ask that you please place both in the record of that proceeding.

Sincerely,

Kathleen B. Levitz

Vice President-Federal Regulatory

Attachment

CC:

Jake Jennings
Kathryn C. Brown
Larry Strickling
Carol Mattey
Michael Pryor
Donald Stockdale
Jordan Goldstein

No. of Copies rec'd 0 + 2 List ABCDE

BellSouth's Proposal for Self Effectuating Enforcement Measures April 8, 1999

OUTLINE

INTRODUCTION2
EXECUTIVE SUMMARY2
MEASUREMENTS4
REPORTING5
BENCHMARKS5
TESTS FOR PARITY6
REMEDIES7
IMPLEMENTATION7
COMMENTS ON CLEC PROPOSALS
STRENGTHS OF BELLSOUTH'S PROPOSAL8
ATTACHMENT A - Matrix of proposed measurements9
ATTACHMENT B - Explanation of calculations
ATTACHMENT C - Measurement Details21

INTRODUCTION

BellSouth has entered into over 400 contracts with CLECs in the nine BellSouth states. These contracts have been approved by the various state Public Service Commissions. A number of these cases were arbitrated and included the issue of whether the PSC or arbitrator should order liquidated damages and/or penalties as part of the contract. In each case, the commission and/or the arbitrator declined to order liquidated damages or penalties as part of the decision.

Additionally, in Georgia, a full evidentiary hearing was conducted by the PSC specifically to deal with the issue of measurements. Once again, no self-effectuating enforcement measures were ordered by that commission as a result of the hearing. The Georgia order instead, pointed to that commissions its own enforcement authority under existing statutes.

The proposal we now present is a voluntary proposal of BellSouth, which will take effect under BellSouth's contracts with the CLECs, but should not be interpreted as admitting in any way that the PSCs or FCC have the authority to impose self-executing penalties or liquidated damages without BellSouth's agreement.

BellSouth is making this offer as one means of breaking through the clutter and minutiae of the service measurements of multiple processes and instead focusing on the real issues of market entry.

EXECUTIVE SUMMARY

BellSouth has conducted a series of discussions with the FCC staff since the second petition for 271 relief for Louisiana was denied. In its order denying that, the FCC stated that it believed that a system of self- effectuating enforcement measures should be established by BellSouth in the public interest, to insure that BellSouth does not backside in providing services provided for the CLECs after 271 authority is granted. BellSouth is committed to opening the local market to entry by others and firmly believes that it has taken the steps necessary to do this. As a result of these discussions with the FCC, BellSouth has prepared this proposal which describes a set of enforcement measures that BellSouth is willing to put in place, subject to the terms and conditions described in this document.

BellSouth is proposing that 9 key measures, measured monthly, and disaggregated into a total of 14 categories that will satisfy the goal of the FCC, of protecting against BellSouth's "backsliding" in the provision of service to the CLECs for all three market entry methods: resale; unbundled network elements; and interconnection. These key measures are based on

measures in BellSouth's existing Service Quality Measurements. There are many other process measures that underlie these 9 key measures. These process measures will continue to be reported in BellSouth's SQM, and will be useful to the CLECs and BellSouth for analysis of business processes, but will not be used as part of this enforcement mechanism.

BellSouth has been analyzing a series of different types of statistical tests capable of measuring parity (as part of a series of workshops conducted by the Louisiana PSC). At this time, there is no consensus on a single test that adequately protects the interests of both BellSouth and the CLECs, although the "modified jackknife" method of analysis holds some promise of satisfying all the parties.

In the interim, this proposal provides simple, "bright line" tests that:

- (1) Provide a retail analog for each measurement or benchmark;
- (2) Establish an acceptable level of variance from BellSouth's performance that recognizes that the aggregate CLEC results may differ from BellSouth's retail unit results and still not "materially" affect the CLECs, and;
- (3) Establish a standard for making enforcement payments to the CLECs, if this "material" variance is exceeded.

BellSouth's proposal measures the results for all CLECs aggregated at a state level, and compares those measures to the specified retail analog. Then, if the CLEC aggregate results are "materially" different from BellSouth's results, the proposal provides for a specific enforcement payments to each individual CLEC, based on the services and function being measured.

For example, one of the key measures proposed is a measure of Missed Due Dates comparing all of BellSouth's retail services with old resale services and loop-port combinations provided to the CLECs. If the levels of Missed Due Dates are materially different (>1%), the enforcement measures are triggered, and a payment is made to each CLEC, refunding the Non-Recurring Charge for <u>all</u> orders in that category where BellSouth missed the due date.

The levels of payment proposed in these enforcement mechanisms are based on long standing contractual agreements between BellSouth and its Interexchange Carrier Customers, IXCs. These existing contractual arrangements compensate the IXCs for performance failures in the areas of installation, maintenance, and billing, and are based on the NonRecurring (NRC) and Recurring Charges (RC) the IXC would have paid if the service objectives had been met.

The payments in this proposal are similar in that:

- (1) They compensate the CLEC based on the charges for a service BellSouth committed to perform and then did not perform as specified, and;
- (2) When a "parity" failure is detected the CLEC is compensated for EVERY instance of service failure that month (as opposed to those "misses" beyond parity), thus returning the CLEC to the financial position of perfect service. To this extent, BellSouth's proposal goes beyond any imaginable requirement in the law.

This concept, using an aggregate measurement to determine parity, and then making enforcement payments to individual CLECs based on the performance they have received, ties together:

- (1) The objectives of public interest (verifies that parity is being provided on an overall basis), and;
- (2) The interests of individual CLECs (if a failure in service occurs and parity is not being provided, the CLEC is compensated based on the individual performance received.)

MEASUREMENTS

Certain key measurements selected from the entire set of BellSouth SQM will be tested for "parity" in this proposal. Additional, detailed descriptions of the measurements are given in attachment C.

The key measurements proposed are:

Installation Timeliness: Percent Missed Due Dates

Installation Quality: Percent Repair reports within 4 days of

installation

Repair Timeliness: Percent Missed Appointments

Repair Quality: Percent Repeat Reports

Usage Timeliness Billing:

Invoice Timeliness Billing:

Operating Support Systems (OSS): Percent Availability

Collocation: Due Dates Met

Trunking: % Aggregate Blocked Calls

REPORTING

BellSouth will continue to collect data directly from the various CLEC and legacy systems described in its Service Quality Measurements (SQM). These data will be collected in the Performance Measurements Analysis Platform system (PMAP) and will continue to be used to generate SQM reports to meet regulatory reporting requirements and individual CLEC reports required to meet regulatory and contractual reporting obligations. These date will also continue to be given to individual CLECs. Additionally, for the purposes of this proposal, the same data will be used to report on the key measures included in the enforcement mechanisms.

The data will be aggregated as described in the Benchmark Section to produce groups of BellSouth's retail services and group of CLEC resale or unbundled Network Elements that can be properly compared as analogous.

These measurements will be made on a monthly basis, and will include all data obtained during the month, except as specified in the detailed exclusions.

BENCHMARKS

<u>RETAIL ANALOGS</u>: Each measure (except collocation) has a specific retail analog measurement, designed to reflect similar services that BellSouth provides for its retail customers. These retail analogs are:

<u>RESALE</u>: Results for all BellSouth retail services are grouped together (residence, business, and designed services), and are compared to the services provided for the CLECs at resale. The loop+port combinations provided to the CLECs are also included in this category, because these combinations are essentially identical to the resold services.

<u>UNE</u>: Results for all Unbundled Network Elements (except loop+port combinations) are aggregated together and are compared to an aggregate of BellSouth's retail residence and business services that require an outside dispatch. Since the unbundled loops that constitute the major portion of this category may be used to serve either residential or business customers, and require conversion at the central office frame or dispatch to the customer premise, it is reasonable to compare UNEs to an aggregate of similar services – both residence and business.

BILLING USAGE TIMELINESS: Results for delivery of daily usage data (local and access) to the CLECs are aggregated and compared to BellSouth's delivery of CMDS data between BellSouth different regional accounting offices over the same time period.

<u>BILLING INVOICE TIMELINESS</u>: Results for delivery of invoices to the CLECs are calculated for two categories, Resale invoices and UNE invoices, and are compared to BellSouth's delivery of invoices to its retail units.

OSS AVAILABILITY: Results for specified BellSouth retail unit operating support systems are aggregated and compared directly to the results for CLEC OSS provided by BellSouth.

<u>COLLOCATION</u>: There is not a specific retail analog for this service, so the benchmark of the space available due date (negotiated between the CLEC and BST) is used for this measurement.

1. TRUNK BLOCKING: This measures & compares the average monthly blocking (on an hour-by hour basis) for BST trunks linked to the CLEC network and the BST local trunking network.

FURTHER CONDITIONS:

No enforcement mechanism will be put in place until BST receives 271 approval from the FCC for a given state.

The penalties are structured to provide no incentive for the CLEC community to prefer the remedy over quality service.

A finding (statistical or materiality) of apparent disparity is not an irreversible finding of discrimination.

TESTS FOR PARITY:

1) BellSouth has been analyzing a series of different types of statistical tests capable of measuring parity (as part of a series of workshops conducted by the Louisiana PSC). At this time, there is no consensus on a single test that adequately protects the interests of both BellSouth and the CLECs, although the "modified jackknife" method of analysis holds some promise of satisfying all the parties. BellSouth has been working with the Louisiana Public Service Commission, and their consultant on this matter for several months. BellSouth has also retained Dr.

Fritz Scheuren, a renowned statistician, who has assisted in the analysis, and has held numerous discussions with the Common Carrier bureau staff on the results and status of this analysis.

- 2) Any test for parity will ultimately include tests for both statistical significance and materiality.
- 3) In the interim, until statistical tests are validated by two BST state commissions or by the FCC, a simple test of materiality will be used.

REMEDIES

The payments in this proposal are structured to:

- 1) Compensate the CLEC based on the charges for a service BellSouth committed to perform and then did not perform as specified, and;
- 2) When a "parity" failure is detected BellSouth will compensate the CLEC for EVERY instance of service failure that month, thus returning the CLEC to the financial position of perfect service.

The calculations for these remedies are explained in detail in Attachment B.

IMPLEMENTATION

These enforcement measures will be put in place by adding them to existing contracts between BellSouth and the CLECs, immediately after a 271 petition is approved by the FCC. Once they are added to any contract in state, the enforcement measures will be structured so that any CLEC can selectively add these provisions to its contract using the "pick and choose" mechanism.

COMMENTS ON CLEC PROPOSALS

Several of the CLECs have joined together in a consortium called the Local Competitive Users Group, LCUG. This group has prepared a series of detailed proposals for service quality measurements, statistical validation of service differences, and penalties for failures to meet certain measures.

These measures include all of the key measures in this proposal, and dozens of other measurements of both outcomes and processes.

BellSouth's position is, and has been, that the LCUG proposal is overly complex and burdensome, both in the number and complexity of the measures proposed, and in the depth of disaggregation of geography and services suggested. LCUG would have BellSouth capture and produce data for hundreds of different scenarios each month, and then try to produce a meaningful overall analysis from those measures with a statistical methodology (the modified z-test) that has known flaws in this type of application. LCUG's proposal goes far beyond business measurements meaningful to the actual end users of the service that can be analyzed by the state commissions and the FCC to insure that the aims of the Telecommunications Act are being carried out.

STRENGTHS OF BELLSOUTH'S PROPOSAL:

BellSouth's proposal, on the other hand is:

Limited to key measures that capture the outcomes of processes, *i.e.*, services provided to end-users.

Offers a simple, easily understood test for "parity", until the industry can arrive at a consensus on the application of statistical tests for these measures.

Proposed VSEEM Matrix:

CATEGORY	METRIC	SUB- CATEGORY	PARITY DETERMINATION	MATERIALITY TEST	VSEEM NRC=NON RECURRING CHARGE RC=RECURRING CHARGE
INSTALLATIO	N				
Installation Timeliness	% Service Order Due Dates Missed for BST	Resale/Com bo	Retail Analog	CLEC variance with BST cannot be more than 1% at the state	Resale NRC * Number of Missed Installation Appointments. The VSEEM calculation applies only in a month where BST results are better
(Calculations Made at State Aggregate Levels)	Caused Reasons			aggregate level	following the application of the monthly Materiality Test. (See Note 1 on Matrix Details "Attachment B")
		UNE	Retail Analog (Retail- Installation Residence/Busin ess Dispatch)	CLEC variance with BST cannot be more than 1% at the state aggregate level	UNE NRC * Number of Missed Installation Appointments. The VSEEM calculation applies only in a month where BST results are better following the application of the monthly Materiality Test. (See Note 1 on Matrix Details "Attachment B")

Installation Quality	% Trouble Reports within 4 days for BST	Resale/Com bo	Retail Analog	CLEC variance with BST cannot be more than 1% at the state	50% monthly Resale RC * Number of repeated customer trouble reports within 4 days. The VSEEM calculation applies only in a month
(Calculations Made at State Aggregate Levels)	Caused Reasons			aggregate level	where BST results are better following the application of the monthly Materiality Test. (See Note 2 on Matrix Details "Attachment B")
		UNE	Retail Analog (Retail- Installation Residence/Busin ess Dispatch)	CLEC variance with BST cannot be more than 1% at the state aggregate level 1	50% monthly UNE RC * Number of repeated customer trouble reports within 4 days. The VSEEM calculation applies only in a month where BST results are better following the application of the monthly Materiality Test. (See Note 2 on Matrix Details "Attachment B")

MAINTENANC	E				
Repair Timeliness	% Missed Repair Appointments for BST	Resale/Com bo	Retail Analog	CLEC variance with BST cannot be more than 1% at the state	50% monthly Resale RC* Missed Repair Appointments. The VSEEM calculation applies only in a month where BST results are better
(Calculations Made at State Aggregate Levels)	Caused Reasons			aggregate level	following the application of the monthly Materiality Test. (See Note 3 on Matrix Details "Attachment B")
		UNE	Retail Analog [Retail-Repair Residence/Busi ness Dispatch]	CLEC variance with BST cannot be more than 1% at the state aggregate level	50% monthly UNE RC * Number of Missed Repair Appointments. The VSEEM calculation applies only in a month where BST results are better following the application of the monthly Materiality Test. (See Note 3 on Matrix Details "Attachment B"))

Repair Quality (Calculations Made at State Aggregate Levels)	% Repeated Report Rate	Resale/Com bo	Retail Analog	CLEC variance with BST cannot be more than 1% at the state aggregate level	50% monthly Resale RC * Number of repeated customer trouble reports within 30 days. The VSEEM calculation applies only in a month where BST results are better following the application of the monthly Materiality Test. (See Note 4 on Matrix Details "Attachment B")
		UNE	Retail Analog [Retail-Repair Residence/Busi ness Dispatch]	CLEC variance with BST cannot be more than 1% at the state aggregate level	50% monthly UNE RC* Number of Repeated Customer Trouble Reports within 30 days. The VSEEM calculation applies only in a month where BST results are better following the application of the monthly Materiality Test. (See Note 4 on Matrix Details "Attachment B")

BILLING					
Billing (Calculations Made at the Regional Level)	Usage Data Delivery Timeliness		Retail Analog	1 day variance	>1 day = 25% * Monthly Optional Daily Usage File (ODUF) / Access Daily Usage File (ADUF). The VSEEM calculation applies only in a month where BST results are better following the application of the monthly Materiality Test. (See Note 5 on Matrix Details "Attachment B")
	Invoice Timeliness	RESALE (CRIS)	Retail Analog	1 day variance	.000493 * Total monthly bill for each 1 day out of parity. The VSEEM calculation applies only in a month where BST results are better following the application of the monthly Materiality Test. (See Note 6 on Matrix Details "Attachment B")
		UNE (CRIS UNE + CABS)	Benchmark	1 day variance	.000493 * Total monthly bill for each 1 day out of parity. The VSEEM calculation applies only in a month where the benchmark is not met. (See Note 6 on Matrix Details "Attachment B")

OPERATIONA	OPERATIONAL SUPPORT SYSTEMS					
OSS (Regional)	Pre-ordering and ordering OSS Availability		Retail Analog	1% difference aggregated across access to all systems	Credit for 5% of total order volume at a rate of \$20/per order handled for each 1% disparity in access. The VSEEM calculation applies only in a month where BST results are better following the application of the monthly Materiality Test. (See Note 7 on Matrix Details "Attachment B")	
COLLOCATIO		,		,		
Collocation (Individual case)	% DD Missed		Benchmark	No Due dates Missed	Percent Due Dates Missed * NRC / week beyond due date, capped at 25%. The VSEEM calculation applies only in a month where the benchmark of "zero" missed due dates is not met. (See Note 8 on Matrix Details "Attachment B")	

TRUNK GROUP PERFORMANCE			
Trunking Trunk Blockage (Calculations Made at State Aggregate Levels)	Retail Analog	Any 2 hours month >0.5 difference in aggregate blockage	Any 2 hours/ month > 0.5% difference triggers an increase in Reciprocal Compensation Usage payments based on the difference in actual blockage for the hours "missed". The VSEEM calculation applies only in a month where BST results are better following the application of the monthly Materiality Test. (See Note 9 on Matrix Details "Attachment B")

Matrix Details

	VSEEM		
Note #	Measure	Category	Parity Calculation
1	Installation Timeliness	% Due Dates Missed	Calculation: When a Materiality Test failure occurs at the state level, each CLEC with missed appointments on service orders in this category will be compensated for the failure to meet the BST commitment(s). The CLEC's actual number of missed appointments will be multiplied by the NRC. Separate calculations will be made for the Resale and UNE categories.
			UNE Analog Methodology: The analog for UNEs will be the combined missed Due Date rate of Residence/Business POTS dispatch. Unbundled loops constitute a majority of the UNE category, which can serve either residential or business customers and require conversion at the central office and/or the customer location. Thus, they have been compared to an aggregate of retail residence and business dispatched service requests.
2	Installation Quality	% Report w/in 4 days	Calculation: When a Materiality Test failure occurs at the state level, each CLEC with repeated reports within 4 days on service orders in this category will be compensated for the failure to meet the retail analog/materiality test. The CLEC's actual number of repeated reports will be multiplied by the RC. Separate calculations will be made for the Resale and UNE categories UNE Analog Methodology: The analog for UNEs will be the combined missed DD rate of
			Residence/Business POTS dispatch. Unbundled loops constitute a majority of the UNE category, which can serve either residential or business customers and require conversion at the central office and/or the customer location. Thus, they have been compared to an aggregate of retail residence and business dispatched service requests.

3	Repair Timeliness	% Missed Repair Appts	Calculation: When a Materiality Test failure occurs at the state level, each CLEC with missed appointments on trouble reports in this category will be compensated for the failure to meet the BST commitment(s). The CLEC's actual number of missed appointments will be multiplied by the RC. Separate calculations will be made for the Resale and UNE categories
			UNE Analog Methodology: The analog for UNEs will be the combined missed DD rate of Residence/Business POTS dispatch. Unbundled loops constitute a majority of the UNE category, which can serve either residential or business customers and require conversion at the central office and/or the customer location. Thus, they have been compared to an aggregate of retail residence and business dispatched service requests.
4	Repair Quality	Repeated Report Rate	Calculation: When a Materiality Test failure occurs at the state level, each CLEC with repeated reports within 30 days of a trouble report in this category will be compensated for the failure to meet the retail analog/materiality test. The CLEC's actual number of repeated reports will be multiplied by the RC. Separate calculations will be made for the Resale and UNE categories. UNE Analog Methodology: The analog for UNEs will be the combined missed DD rate of Residence/Business POTS dispatch. Unbundled loops constitute a majority of the UNE category, which can serve either residential or business customers and require conversion at the central office and/or the customer location. Thus, they have been compared to an aggregate of retail residence and business dispatched service requests.

5	Billing	Usage Timeliness	Calculation: If CLEC results are greater than 1 day, then the following calculation will apply: 25% * Monthly Optional Daily Usage File (ODUF) / Access Daily Usage File (ADUF) sales charges.
			VSEEM Methodology: A 25% VSEEM rate is applied to the formula as noted in the calculation above. This rate was selected in order to present a significant VSEEM to the CLEC community in the event of disparate billing performance.
6		Invoice Timeliness	Calculation: A value of .000493 * Total monthly bill for each day out of parity. VSEEM Methodology: The VSEEM is based on the business inconvenience caused to the CLEC by a delay in delivering the billing information they need, and is based on an 18%/yr rate for each whole days delay of

7	OSS	Pre- ordering and ordering OSS Availability	Calculation: System availability will be compared to BST's retail systems as currently defined in the SQM (based on scheduled availability). The total availability for LENS, EDI, TAG, LEO MAINFRAME, LEO-UNIX, LESOG, HAL, and BSOG will be compared to the availability of SOCS, RSAG, DSAP, BOCRIS, and ATLAS/COFFI. In the event that a difference favoring the BST by >1 % occurs in a given month, a \$20 cost for manual handling will be multiplied by the actual number of electronically submitted service requests to produce the VSEEM amount.
			VSEEM Methodology: The VSEEM payment is based on compensating the CLECs for manual handling of orders on a sliding scale based on the difference between BST's systems and the CLEC systems. Manual handling of service requests may be necessary for the CLECs in the event that they are unable to electronically submit their requests.
8	Collocation	% DD Missed	Calculation: The NRC in this case is the total of all space preparation and application fees for the specific collocation job. Any supplements to the original order will reset the due date (as agreed to by BST and CLEC) for this measurement.
			VSEEM Methodology: The NRC of \$45,000 represents an average charge to the CLECs requesting collocation arrangements and follows the same principles of missed due dates/commitments used in the provisioning and maintenance arenas.

9	Trunking	Trunk	Calculation/VSEEM Methodology:
		Blockage	This VSEEM is based on the new trunk blocking parity measurement.
			This measurement will define the difference in blocking at the state (or MSA) level for all CLEC trunk groups as compared to all BST local trunk groups. There are 24 aggregate measurements (one per hour) to be compared. A parity failure is defined as any 2 hours when the CLEC aggregate exceeds the BST aggregate by more than 0.5%.
			The VSEEM payment would be calculated by determining the difference in blockage for each hour where the CLEC exceeded BST, dividing the result by 16 (average usage hours/day), and increasing the CLECs Reciprocal Compensation payment by the amount.
			For example, if 4 hours exceed the 0.5 threshold, a failure would be triggered. If the differences in % blockage were 1%, 2%, 1%, and 3%, the calculation would be (.01+. 02+. 01+. 03)/16 = 0.43%, and the CLEC would be paid a 0.43% VSEEM payment based on their monthly reciprocal compensation usage payment. I.E. if the reciprocal comp usage payment they received was \$500,000, the VSEEM would be 0.43% * \$500,000 = \$2150.
			If we failed by 1% for 16 hours, the VSEEM payment would be 1% * \$500,000 = \$50,000.
			This method ties the VSEEM payment to the CLECs actual usage during the month, but uses a simply, easily calculated formula.

Modified Service Quality Measurements Descriptions¹ TABLE OF CONTENTS

CATEGORY	FUNCTION	VSDEN Request interest in PAGE 4
Pre-Ordering and Ordering OSS	1. OSS Interface Availability	2
Provisioning	2. Percent Missed Installation Appointments3. Percent Provisioning Troubles within 4 days	3 4
Maintenance & Repair	4. Missed Repair Appointments5. Percent Repeat Troubles within 30 days	5 6
Billing	6. Invoice Timeliness 7. Usage Data Delivery Timeliness	7 8
Collocation	9. % of Due Dates Met	9
Trunk Group Performance	8. Trunk Group Service Comparison	10, 11

¹Selected VSEEM Measures have been excerpted from the standard BST-Service Quality Measurements and their descriptions have been enhanced or modified for the purposes of this discussion.

PRE-ORDERING AND ORDERING OSS

Function:	OSS Interface Availability		
Measurement	This measurement captures the availability percentages		
Overview:	for the BST systems that the CLEC uses during pre-		
	ordering and ordering. Comparisons to BST results allow		
	conclusions as to whether an equal opportunity exists for		
	the CLEC to deliver a comparable customer experience.		
Measurement	1. OSS Interface Availability = (Actual		
Methodology:	Availability)/(Scheduled Availability) X 100		
	Definition: Percent of time OSS interface is actually available compared to scheduled availability. Availability percentages for CLEC interface systems and for all legacy systems accessed by them are captured.		

OSS Interface Availability

OSS Interface	% Availability
LENS	X
LEO Mainframe	x
LEO UNIX	X
LESOG	X
EDI	X
HAL	X
BOCRIS	X
ATLAS/COFFI	X
RSAG/DSAP	X
SOCS	X

PROVISIONING

Function:	Installation Timeliness
Measurement	The "percent missed installation appointments"
Overview:	measure monitors the reliability of BST commitments
	with respect to committed due dates to assure that
	CLECs can reliably quote expected due dates to their
	retail customer as compared to BST.
Measurement	1. Percent Missed Installation Appointments = 7
Methodology:	(Number of Orders missed in Reporting Period) /
	(Number of Orders Completed in Reporting Period)
	X 100
}	
	Percent Missed Installation Appointments is the percentage of total orders processed for which BST is unable to complete the service orders on the committed due dates. Missed Appointments caused by end-user reasons will be included and reported separately.
	Definition: Percent of orders where completions are not done by due date. See "Exclude Situations" for orders not included in this measurement
	Methodology: • Mechanized metric from ordering system

Reporting Dimensions:	Excluded Situations:
CLEC Aggregate	 Orders canceled by the CLEC
BST Aggregate	 Order Activities of BST associated
• State,	with internal or administrative use of
Reporting Levels	local services.
Resale	Orders missed due to CLEC and/or
• UNE	End User causes

Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Month
CLEC Order Number	BST Order Number
 Order Submission Date 	 Order Submission Date
 Order Submission Time 	Order Submission Time
Status Type	Status Type
 Status Notice Date 	Status Notice Date
Status Notice Time	Status Notice Time
Standard Order Activity	Standard Order Activity
State, and further geographic	State, and further geographic
dissagregation as required by State	dissagregation as required by State
Commission Order	Commission Order

Function:	Installation Quality	
Measurement	The Percent Provisioning Troubles within 4 days of	
Overview:	Installation measures the quality and accuracy of	
	installation activities.	
Measurement Methodology:		
	Definition: Measures the quality and accuracy of completed orders by.	
	 Methodology: Mechanized metric from ordering and maintenance systems. 	

Reporting Dimensions:	Excluded Situations:
CLEC AggregateBST AggregateStateReporting Levels	 Trouble reports canceled at the CLEC request BST trouble reports associated with administrative service
Resale/ComboUNE	 Trouble reports associated with CPE/CPIW Trouble reports "Found OK" after dispatch to outside field forces (e.g. Disposition Code 09XX)

Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Month
CLEC Ticket Number	BST Ticket Number
Ticket Submission Date	Ticket Submission Date
Ticket Submission Time	Ticket Submission Time
Ticket Completion Time	Ticket Completion Time
Ticket Completion Date	Ticket Completion Date
Service Type	Service Type
Disposition and Cause (Non- Design/Non-Special only)	Disposition and Cause (Non-Design/Non- Special only)
State, and further geographic	State, and further geographic
dissagregation as required by State	dissagregation as required by State
Commission Order	Commission Order

MAINTENANCE & REPAIR

Function:	Missed Repair Appointments	
Measurement Overview:	When the data for this measure is collected for BST and a CLEC it can be used to compare the percentage of accurate estimates of the time required to complete service repairs for BST and the CLEC.	
Measurement Methodology:		
	Definition: Percent of trouble reports not cleared by date and time committed. Note: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours.	
	Methodology: Mechanized metric from maintenance database(s).	

Reporting Dimensions:	Excluded Situations:
 CLEC Aggregate BST Aggregate State, and further geographic dissagregation as required by State Commission Order Product Reporting Levels Resale/UNE Combos UNE 	 Appointments not met due to CLEC and/or End User causes Trouble tickets canceled at the CLEC request BST trouble reports associated with internal or administrative service Trouble reports associated with CPE/CPIW Trouble reports "Found OK" after dispatch to outside field forces (e.g. Disposition Code 09XX)

Data Retained Relating to CLEC	Data Retained Relating to BST
Experience:	Performance:
Report Month	Report Month
Total Troubles	Total Troubles
Total and Percent Missed	Total and Percent Missed
Appointments	Appointments
Service Type	Service Type
Disposition and Cause (Non- Design/Non-Special only)	Disposition and Cause (Non- Design/Non-Special only)
 State, and further geographic 	 State, and further geographic
dissagregation as required by State	dissagregation as required by State
Commission Order Report Month	Commission Order Report Month
CLEC Ticket Number	BST Ticket Number
Ticket Submission Date	Ticket Submission Date
Ticket Submission Time	Ticket Submission Time
Ticket Completion Time	Ticket Completion Time
Ticket Completion Date	Ticket Completion Date
	<u> </u>

Function:	Quality of Repair	
Measurement	This measure, when collected for both the CLEC and	
Overview:	BST and compared, monitors that CLEC maintenance	
	requests are cleared comparably to BST maintenance	
	requests.	
Measurement	1. Percent Repeat Troubles within 30 Days = (Total	
Methodology:	Repeated Trouble Reports within 30 Days) / (Total Closed Troubles) in reporting period X 100	
	Definition: For Percent Repeat Trouble Reports within 30 Days: Trouble reports on the same line/circuit as a previous trouble report within the last 30 calendar days as a percent of total troubles reported.	
	Methodology: Mechanized metric from maintenance database(s).	

Reporting Dimensions:	Excluded Situations:
 CLEC Aggregate BST Aggregate State, and further geographic dissagregation as required by State Commission Order Product Reporting Levels Resale/UNE Combos UNE 	 Trouble reports canceled at the CLEC request BST trouble reports associated with administrative service Trouble reports associated with CPE/CPIW Trouble reports "Found OK" after dispatch to outside field forces (Disposition Code 09XX)

Data Retained Relating to CLEC	Data Retained Relating to BST
Experience:	Performance:
Report Month	Report Month
Total Troubles	Total Troubles
Total and Percent Repeat Trouble	Total and Percent Repeat Trouble
Reports within 30 Days	Reports within 30 Days
Service Type	Service Type
Disposition and Cause (Non- Design/Non-Special only)	Disposition and Cause (Non- Design/Non-Special only)
State, and further geographic	State, and further geographic
dissagregation as required by State	dissagregation as required by State
Commission Order Report Month	Commission Order Report Month
CLEC Ticket Number	BST Ticket Number
Ticket Submission Date	Ticket Submission Date
Ticket Submission Time	Ticket Submission Time
Ticket Completion Time	Ticket Completion Time
Ticket Completion Date	Ticket Completion Date
Service Type	Service Type
Disposition and Cause (Non- Design/Non-Special only)	Disposition and Cause (Non- Design/Non-Special only)
State, and further geographic dissagregation as required by State Commission Order	State, and further geographic dissagregation as required by State Commission Order

BILLING

Function:	Invoice Timeliness
Measurement Overview:	The accuracy of billing invoices delivered by BST to the CLEC must provide CLECs with the opportunity to deliver bills at least as accurate as those delivered by BST. Producing and comparing this measurement result for both the CLEC and BST allows a determination as to whether or not parity exists.
Measurement Methodology:	 2. Mean Time to Deliver Invoices = Σ[(Invoice Transmission Date) - (Date of Scheduled Bill Close)] / (Count of Invoices Transmitted in Reporting Period) This measure provides the mean interval for billing invoices. CRIS-based invoices should be released for delivery within six (6) workdays, and CABS-based invoices should be released for delivery within eight (8) calendar days. Objective: Measures the mean interval for timeliness of billing records delivered to CLECs in an agreed upon format.

Reporting Dimensions:	Excluded Situations:
CLEC AggregateBST Aggregate	 Any invoices rejected due to formatting or content errors Adjustments not related to billing errors (e.g., credits for service outage)
Data Retained Relating to CLEC	Data Retained Relating to BST
Experience:	Performance:
 Report Monthly Invoice Type Resale Unbundled Element Invoices (UNE) 	 Report Monthly Retail Type CRIS CABS

BILLING (Continued)

Function:	Usage Data Delivery Timeliness	
Measurement	The accuracy of usage records delivered by BST to the	
Overview:	CLEC must provide CLECs with the opportunity to	
	deliver bills at least as accurate as those delivered by	
	BST. Producing and comparing this measurement	
	result for both the CLEC and BST allows a determination	
	as to whether or not parity exists.	
Measurement	3. Usage Data Delivery Timeliness = (Total number	
Methodology:	of usage records sent within six(6) calendar days	
3,	from initial recording/receipt) / (Total number of	
	usage records sent)	
	This measurement provides percentage of recorded	
	usage data (BellSouth recorded and usage recorded by	
	other carriers) delivered to the appropriate CLEC within	
	six (6) calendar days from initial recording. A parity	
!	measure is also provided showing timeliness of BST	
	messages processed and transmitted via CMDS.	
	incomposition and distribution via citization	
	Objective: The purpose of these measurements is to	
	demonstrate the level of quality and timeliness of	
	processing and transmission of both types of usage data	
	(BellSouth recorded and usage recorded by other	
	carriers) to the appropriate CLEC.	
	Methodology: The usage data will be mechanically	
	transmitted or mailed to the CLEC data processing	
	center once daily. Method of delivery is at the option of	
	the CLEC. Timeliness and completeness measures are	
	reported on the same report.	

Reporting Dimensions:	Excluded Situations:
CLEC Aggregate	None
BST Aggregate	
Data Retained Relating to CLEC	Data Retained Relating to BST
Experience:	Performance:
Report Month	Report Monthly
Record Type	Record Type
■ BellSouth Recorded	
■ Non-BellSouth Recorded	

Collocation

Function:	Response Interval, Provisioning Interval and	
r unction.	Timeliness for Providing Collocation Space to a CLEC	
	,	
	in a BellSouth Central Office.	
Measurement	Collocation is the placement of customer-owned	
Overview:	equipment in BellSouth Central Offices for	
	interconnecting to BellSouth's tariffed services and	
	unbundled network elements. Although BellSouth	
	offers both Virtual and Physical Collocation, only due	
	, , ,	
	dates for Physical requests will be included in this	
	metric. The vehicle for tracking the BST commitment to	
	the CLEC is the "Percentage of due dates on firm orders	
	missed".	
Measurement	1. % of Due Dates Missed = (Number of Orders not	
Methodology:	completed w/i ILEC committed Due Date during	
	reporting period) / (Number of Orders completed	
	in reporting period) X 100.	
	in reporting period, A 100.	
	Definition: Measures the percent of Collocation space	
	request, including construction and network	
	infrastructure, that are not complete on the due date.	
	and the state of the second of	
	Methodology:	
	Current-Manual, Future-Mechanized	

Reporting Dimensions:	Excluded Situations:
 State, and further geographic dissagregation as required by State Commission Order Physical 	 Any order canceled by the CLEC. Time for BST to obtain any permits Collocation contract negotiations
Data Retained Relating to CLEC	Data Retained Relating to BST
Experience:	Performance:
Report Month	Report Month
CLEC Order Number	Application
Application Submission Date	Application Response
Firm Order Submission Time	Firm Order
Space Acceptance Date	BST Completion Date

TRUNK GROUP PERFORMANCE

Function:	Interconnection Trunk Performance	
Measurement	In order to ensure quality service to the CLECs as well as	
Overview:	protect the integrity of the BST network, BST collects	
}	traffic performance data on the trunk groups	
	interconnected with the CLECs as well as all other trunk	
	groups in the BST network.	
Measurement	1. Trunk Group Performance: Contains the service	
Methodology:	performance results of the following high use and	
	final trunk groups carrying comparable CLEC and BST traffic:	
	1. BellSouth End-Office to BellSouth Access Tandem	
	2. BellSouth End-Office to CLEC Switch	
}	3. BellSouth Local Tandem to CLEC Switch	
	4. BellSouth Access Tandem to CLEC Switch	
	5. BellSouth End-Office to BellSouth Local Tandem	
	6. Inter-Tandem Trunk Groups	
	7. BellSouth End-Office to BellSouth End-Office	
	Method of Calculation:	
	First, the daily blocking is calculated for each trunk group as the overflow divided by call attempts for each hour on a given day.	
	Next the weekly blocking is calculated as the average of each day's blocking by hour.	
	Next the monthly blocking is calculated as the weighted average across all weeks for each hour with valid measurement data within the study period. The weighting factor is the number of valid measurement days.	
	 Finally, the monthly aggregate blocking is calculated as the weighted average for all weeks for each hour with valid measurement data within the study period. The weighting factor is the number of trunks in service assigned to a trunk group included in the average. 	

Reporting Dimensions:	Excluded Situations:
 BST Trunk Group Aggregate CLEC Trunk Group Aggregate CLEC Trunk Group Specific State, Region and further geographic dissagregation as required by state commission order 	 Trunk groups for which valid traffic data measurement is unavailable Trunk groups that are not relevant for comparison.
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
 Report month Total trunk groups Total trunk groups for which data is available Number of trunks assigned to each trunk group Blocking by hour for each trunk group State, region and further geographic dissagregation as required by state commission order 	 Report study period Total trunk groups Total trunk groups for which data is available Number of trunks assigned to each trunk group Blocking by hour for each trunk group State, region and further geographic disaggregation as required by state commission order